



NATIONAL PERFORMANCE MEASURES (NPM)

Delaware's Title V State Action Plan Snapshot • 2020-2025



NPM		2016	2017	2018	2019	Source
NPM 1	Well-Woman Visit					
	Percentage of women, ages 18-44, with a preventive medical visit in the past year	72.9%	73.0%	78.3%	75.5%	BRFSS
NPM 2	Low-Risk Cesarean Delivery					
	Percentage of cesarean deliveries among low-risk first births	24.0%	25.0%	24.4%	24.3%	BC
NPM 3	Risk-Appropriate Perinatal Care					
	Percentage of very low birth weight (VLBW) born in a hospital with a Level III+ Neonatal Intensive Care Unit (NICU)	80.9%	72.8%	77.4%	78.6%	BC
NPM 4	Breastfeeding					
	A) Percentage of infants who are ever breastfed	86.2%	87.1%	86.6%	87.3%	PRAMS
	B) Percentage of infants breastfed exclusively through 6 months	18.9%	20.5%	23.6%	19.8%	PRAMS
NPM 5	Safe Sleep					
	A) Percentage of infants placed to sleep on their backs	81.1%	81.9%	79.8%	79.9%	PRAMS
	B) Percentage of infants placed to sleep on a separate approved sleep surface	36.0%	36.1%	38.7%	33.6%	PRAMS
	C) Percentage of infants placed to sleep without soft object or loose bedding	50.8%	51.8%	50.1%	53.4%	PRAMS



NATIONAL PERFORMANCE MEASURES (NPM)

(continued)

NPM		2016	2017	2018	2019	Source
NPM 6	Developmental Screening					
	Percentage of children, ages 9 through 36 months, who received a developmental screening using a parent-completed screening tool in the past year	26.9%	26.9%	24.8%	25.5%	NSCH
NPM 7	Injury Hospitalization					
7.1	Ages 0 through 9					
	Rate of hospitalization for nonfatal injury per 100,000 children, ages 0 through 9	233.0	183.1	185.7	151.2	HDD
7.2	Ages 10 through 19					
	Rate of hospitalization for nonfatal injury per 100,000 adolescents, ages 10 through 19	335.0	266.9	260.8	302.8	HDD
NPM 8	Physical Activity					
8.1	Ages 6 through 11					
	Percentage of children, ages 6 through 11, who are physically active at least 60 minutes per day	29.5%	18.2%	33.0%	26.8%	NSCH
8.2	Ages 12 through 17					
	Percentage of adolescents, ages 12 through 17, who are physically active at least 60 minutes per day	15.5%	12.3%	10.9%	15.2%	NSCH
NPM 9	Bullying					
	Percentage of adolescents, ages 12 through 17, who are bullied	18.9%	26.8%	32.9%	35.3%	NSCH
	Percentage of adolescents, ages 12 through 17, who bully others	6.3%*	5.9% (16/17 NSCH)	12.2%	12.7%	NSCH



NATIONAL PERFORMANCE MEASURES (NPM)

(continued)

NPM		2016	2017	2018	2019	Source
NPM 10	Adolescent Well Visit					
	Percentage of adolescents, ages 12 through 17, with a preventive medical visit in the past year	89.5%	84.2%	70.2%	75.7%	NSCH
NPM 11	Medical Home					
	Percentage of children with and without special health care needs, ages 0 through 17, who have a medical home					
	CYSHCN	57.4%	46.1%*	45.8%*	35.8%*	NSCH
	Non-CYSHCN	50.8%	44.9%	46.1%	51.2%	NSCH
NPM 12	Transition					
	Percentage of adolescents with and without special health care needs, ages 12 through 17, who received services necessary to make transitions to adult health care					
	CYSHCN	17.7%	22.4% (17/18 NSCH)	24.0% (18/19 NSCH)	16.6% (19/20 NSCH)	NSCH
	Non-CYSHCN	11.8%	12.2% (17/18 NSCH)	16.9%	20.9%	NSCH
NPM 13	Preventive Dental Visit					
13.1	Pregnancy					
	Percentage of women who had a dental visit during pregnancy	43.5%	40.8%	38.5%	41.8%	PRAMS
13.2	Child/adolescent					
	Percentage of children, ages 1 through 17, who had a preventive dental visit in the past year	79.9%	83.3%	80.6%	78.8%	NSCH

NATIONAL PERFORMANCE MEASURES (NPM)

(continued)

NPM		2016	2017	2018	2019	Source
NPM 14	Smoking					
14.1	Pregnancy					
	Percentage of women who smoke during pregnancy	9.0%	9.5%	8.6%	10.1%	BC & PRAMS
14.2	Household					
	Percentage of children, ages 0 through 17, who live in households where someone smokes	19.4%	13.8%	14.3%	16.7%	NSCH
NPM 15	Adequate Insurance					
	Percentage of children, ages 0 through 17, who are continuously and adequately insured	67.9%	72.5%	69.3%	68.0%	NSCH

**Please interpret with caution. Estimate has a 95% confidence interval width exceeding 20 percentage points, or 1.2 times the estimate, and may not be reliable.*

Data Sources:

Behavioral Risk Factor Surveillance System (BRFSS)
 Birth Certificate (BC)
 Hospital Discharge Data (HDD)
 National Survey of Children's Health (NSCH)
 Pregnancy Risk Assessment Monitoring System (PRAMS)





NATIONAL OUTCOME MEASURES (NOM)

Delaware's Title V State Action Plan Snapshot • 2020-2025



NOM		2016	2017	2018	2019	Source
NOM 1	Early Prenatal Care					
	Percentage of pregnant women who receive prenatal care beginning in the first trimester	73.9%	74.9%	72.8%	72.8%	BC
NOM 2	Severe Maternal Morbidity					
	Rate of severe maternal morbidity per 10,000 delivery hospitalizations (Delaware indicator changed to 10,000)	51.90	40.00	54.50	59.10	HDD
NOM 3	Maternal Mortality					
	Maternal mortality rate per 100,000 live births (Delaware typically uses a 5-year average, as the numbers are small)			2015-2020 (6 year average)		
					17.1	CDRC Report
NOM 4	Low Birth Weight					
	Percentage of low birth weight deliveries (<2,500 grams)	9.0%	9.1%	8.9%	9.4%	BC
NOM 5	Preterm Birth					
	Percentage of preterm births (<37 weeks)	10.0%	10.2%	9.6%	10.7%	BC
NOM 6	Early-Term Birth					
	Percentage of early-term births (37, 38 weeks)	24.2%	25.4%	27.7%	29.9%	BC
NOM 7	Early Elective Delivery					
	Percentage of nonmedically indicated early elective deliveries (The indicator is for all hospital births. NMETD is Singleton births at 37 and 38 weeks of gestation with cephalic presentation to nulliparous women that exclude preterm births and conditions, such as preeclampsia, eclampsia, chorioamnionitis, premature rupture of membranes, prolonged labor, pre-pregnancy diabetes, gestational diabetes, congenital anomalies, fetal distress, and history previous poor outcomes, and all early-term — 37 and 38 weeks of gestation — Singleton hospital births serve as the denominator.) NMETD (non-medical early-term delivery).	36.4%	38.4%	37.5%	36.7%	BC



NATIONAL OUTCOME MEASURES (NOM)

(continued)



NOM		2016	2017	2018	2019	Source
NOM 8	Perinatal Mortality					
	Perinatal mortality rate per 1,000 live births plus fetal deaths	6.30	6.50	6.80	7.10	BC & FD
NOM 9						
9.1	Infant Mortality					
	Infant mortality rate per 1,000 live births	7.9	6.6	5.9	6.6	BC & FD
9.2	Neonatal Mortality					
	Neonatal mortality rate per 1,000 live births	5.2	4.4	4.1	4.5	BC & FD
9.3	Postneonatal Mortality					
	Postneonatal mortality rate per 1,000 live births	6.7	5.9	5.5	5.9	BC & FD
9.4	Preterm-Related Mortality					
	Preterm-related mortality rate per 100,000 live births	3.9	2.6	2.0	2.9	BC & FD
9.5	SUID Mortality					
	Sleep-related Sudden Unexpected Infant Death (SUID) rate per 100,000 live births	1.1	1.0	0.9	1.1	BC & FD
NOM 10	Drinking During Pregnancy					
	Percentage of infants born with fetal alcohol exposure in the last 3 months of pregnancy	6.2%	6.4%	6.4%	6.8%	PRAMS
NOM 11	Neonatal Abstinence Syndrome					
	The rate of infants born with neonatal abstinence syndrome per 1,000 hospital births	27.6	26.1	23.1	18.2	HDD



NATIONAL OUTCOME MEASURES (NOM)

(continued)

NOM		2016	2017	2018	2019	Source
NOM 12	Newborn Screening Timely Follow-Up					
	Percentage of eligible newborns screened for heritable disorders with on-time physician notification for out-of-range screens who are followed up on in a timely manner	**	**	99.8%	99.2%	NBS Dataset
NOM 13	School Readiness					
	Percentage of children meeting the criteria developed for school readiness	**	**	**	**	
NOM 14	Tooth Decay or Cavities					
	Percentage of children, ages 1 through 17, who have decayed teeth or cavities in the past year	11.7%	10.2%	11.3%	15.3%	NSCH
NOM 15	Child Mortality					
	Child mortality rate, ages 1 through 9, per 100,000	14.8	14.8	23.8	25.9	BC & FD
NOM 16						
16.1	Adolescent Mortality					
	Adolescent mortality rate, ages 10 through 19, per 100,000	31.9	24.9	32.3	24.5	BC & FD
16.2	Adolescent Motor Vehicle Death					
	Adolescent motor vehicle mortality rate, ages 15 through 19, per 100,000 (Delaware single-year rates are based on counts less than 10 and are highly unstable)	5.10	8.50	11.90	8.50	BC & FD
16.3	Adolescent Suicide					
	Adolescent suicide rate, ages 15 through 19, per 100,000 (Delaware single-year rates are based on counts less than 10 and are highly unstable)	6.80	5.10	8.50	5.10	BC & FD

NATIONAL OUTCOME MEASURES (NOM)

(continued)


NOM		2016	2017	2018	2019	Source
NOM 17						
17.1	CSHCN					
	Percentage of children with special health care needs (CSHCN), ages 0 through 17	22.9%	23.2%	21.3%	21.6%	NSCH
17.2	CSHCN Systems of Care					
	Percentage of children with special health care needs, ages 0 through 17, who received care in a well-functioning system	18.5%	18.1%	15.7% (18/19 NSCH)	11.9%	NSCH
17.3	Autism					
	Percentage of children, ages 3 through 17, diagnosed with an autism spectrum disorder	3.1%	3.9% (17/18 NSCH)	4.0% (18/19 NSCH)	4.4% (19/20 NSCH)	NSCH
17.4	ADD or ADHD					
	Percentage of children, ages 3 through 17, diagnosed with Attention Deficit Disorder/Attention Deficit Hyperactivity Disorder (ADD/ADHD)	12.0%	9.4%	11.3%	11.8%	NSCH
NOM 18 Mental Health Treatment						
	Percentage of children, ages 3 through 17, with a mental/behavioral condition who receive treatment or counseling	64.3% (16/17 NSCH)	56.7%* (17/18 NSCH)	54.6%* (18/19 NSCH)	49.7%* (19/20 NSCH)	NSCH
NOM 19 Overall Health Status						
	Percentage of children, ages 0 through 17, in excellent or very good health	91.1%	89.5%	90.1%	88.8%	NSCH
NOM 20 Obesity						
	Percentage of children, ages 2 through 4, and adolescents ages 10 through 17, who are obese (BMI at or above the 95th percentile)	16.8%	16.5%	13.4%	18.4%	NSCH

NATIONAL OUTCOME MEASURES (NOM)

(continued)



NOM		2016	2017	2018	2019	Source
NOM 21	Uninsured					
	Percentage of children, ages 0 through 17, without health insurance	3.7%	3.4%	3.8%	4.3%	ACS
NOM 22						
22.1	Child Vaccination					
	Percentage of children, ages 19 through 35 months, who have completed the combined 7-vaccine series (4:3:1:3*:3:1:4)	78.1%	77.1%	73.7%	80.9%	NIS
22.2	Flu Vaccination					
	Percentage of children, 6 months through 17 years, who are vaccinated annually against seasonal influenza	65.4% (16/17 NIS)	65.2% (17/18 NIS)	66.0% (18/19 NIS)	68.1% (19/20 NIS)	NIS
22.3	HPV Vaccination					
	Percentage of adolescents, ages 13 through 17, who have received at least one dose of the HPV vaccine	70.7%	75.3%	73.9%	75.4%	NIS
22.4	Tdap Vaccination					
	Percentage of adolescents, ages 13 through 17, who have received at least one dose of the Tdap vaccine	87.5%	89.6%	89.1%	89.7%	NIS
22.5	Meningitis Vaccination					
	Percentage of adolescents, ages 13 through 17, who have received at least one dose of the meningococcal conjugate vaccine	87.3%	90.5%	85.9%	89.0%	NIS
NOM 23	Teen Births					
	Teen birth rate, ages 15 through 19, per 1,000 females	20.2	19.2	17.3	15.2	BC



NATIONAL OUTCOME MEASURES (NOM)

(continued)

NOM		2016	2017	2018	2019	Source
NOM 24	Postpartum Depression					
	Percentage of women who experience postpartum depression symptoms following a recent live birth	10.5%	11.7%	13.1%	10.4%	PRAMS
NOM 25						
	Percentage of children, ages 0 through 17, who were not able to obtain needed health care in the last year	3.5% (16/17 NSCH)	3.1%* (17/18 NSCH)	2.5%* (18/19 NSCH)	2.9%* (19/20 NSCH)	NSCH

*Please interpret with caution. Estimate has a 95% confidence interval width exceeding 20 percentage points, or 1.2 times the estimate, and may not be reliable.

**No data available

Data Sources:

- American Community Survey (ACS)
- Birth Certificate (BC)
- Child Death Review Commission (CDRC)
- Fetal Death (FD)
- Hospital Discharge Data (HDD)
- National Immunization Survey (NIS)
- National Survey of Children's Health (NSCH)
- Newborn Screening (NBS)
- Pregnancy Risk Assessment Monitoring System (PRAMS)

